


MOVE WITH CONFIDENCE

When it comes to your fitness facility, you can be confident Vision has the knowledge and experience to deliver equipment that fits your goals, your budget and the people you serve.




CONTENTS

| Our Brand | 4 |
|-----------------------------|----|
| Markets We Serve | 6 |
| Entertainment Series | 8 |
| Treadmills | 10 |
| Suspension Ellipticals | 12 |
| Upright Bikes | 14 |
| Recumbent Bikes | 16 |
| Cycles | 18 |
| Strength Line | 20 |
| Functional Trainer | 22 |
| Selectorized Strength | 24 |
| Plate-loaded & Free Weights | 30 |
| Specifications | 36 |

IT ALL STARTS WITH A VISION

Vision Fitness has come a long way from its start as a producer of exercise bikes in 1996. The product line evolved into an award-winning home and commercial portfolio over the past two decades. Today, Vision is committed to serving value-conscious customers with full-commercial strength and cardio equipment that is intuitive and built to last







RELIABILITY

Vision equipment is tested to deliver years of hassle-free performance in demanding environments and extreme conditions. For instance, new treadmills are subjected to over 100,000 load-bearing steps to meet international quality standards, and selectorized strength equipment is tested to withstand over a million reps, more than four times the industry standard.



SIMPLICITY

Our research and development team ensures everything we make is uncomplicated and durable. Some of our greatest innovations have come from simplifying the exercise experience and passing greater value on to all who choose Vision.



VALUE


When it comes to our fitness equipment, a combination of high-quality parts and time-tested platforms results in products that outlast your expectations. All Vision equipment is manufactured to exacting specifications and supported by the industry's best customer service.


OUR COMMITMENT TO SERVICE

As a brand of Johnson Health Tech, a global leader with 50 years in the fitness industry, Vision customers can rely on our worldwide efficiencies in manufacturing, along with a powerful service network that will be there to serve customer needs, not just today but well into the future.

FOR YOUR GOALS. FOR YOUR BUDGET. FOR YOUR PEOPLE.

No matter what shape your fitness facility takes, Vision understands your unique needs and goals. We provide durable fitness solutions that deliver value to you and intuitive exercise experiences for all the very different people you serve.







Health Clubs

Our collection of cardio and strength equipment simplifies the journey for beginners while standing up to tough workouts from your most demanding members.



Hospitality

You want guests to be able to maintain their workout routine while on the road, and we can help. Expect simplicity that lets anyone get started easily and durability that lasts.



Multifamily Housing

Choose Vision for lasting-quality equipment and intuitive designs that welcome your residents to their favorite new place to work out.



Corporate Wellness

Vision can elevate your wellness program with fitness equipment that's easy for anyone to use.
Best of all, you'll be using it for years thanks to the durability of our components.




Vision equipment keeps first responders ready to roll. Our uncomplicated designs make it easy to grab a workout when there's downtime, and our durable construction stands up to hard use for years.

ENTERTAINMENT SERIES

NOW THERE'S MORE TO SEE

You can make your fitness center a highlight of your offering with exercise that entertains. Our Entertainment Series console will bring people in and keep them coming back with all of their favorite entertainment apps, plus exclusive HD destination footage, HIIT programs, advanced Bluetooth, optional live TV and more. Users can even mirror their own devices to stream whatever moves them.







Popular Entertainment Apps

We've integrated the most popular streaming entertainment apps1 in a familiar tablet-style interface, so it's easy for anyone to log in to their personal accounts2 and enjoy their favorite music, movies, shows and books while their workout flies by.



SPRINT 8

An immersive version of our exclusive Sprint 8 program stimulates natural human growth hormone to burn more fat and build lean muscle in short 20-minute sprint intensity workouts that anyone can fit into their schedule.



Virtual Active

Virtual Active programming transports exercise enthusiasts to exotic locales with forward-motion, high-definition footage that speeds up or slows down to match their pace and resistance or incline that varies to match the terrain. Includes virtual coaching and a variety of new locations.



Optional Live TV

Our optional TV tuner lets all the people you serve enjoy their favorite shows, sports and live news while they sweat. It's Pro:Idiom encrypted to protect content providers from piracy, and it's easy to add by simply removing two bolts from the quick-release service panel.



Connect & Stream

A built-in HDMI3 port lets your people connect Android and iOS devices and mirror their own screen. That means they can bring along their favorite playlists, movies and shows, or even browse their favorite social media feeds while they work out.



Advanced Bluetooth

Advanced Bluetooth makes it easy for users to sync Bluetooth headphones and heart rate monitors, plus connect to favorite FTMS-compatible training apps like Kinomap, Zwift and more.

1. Apps vary by market and subject to change. 2. Subscriptions not included. 3. The term HDMI and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. HDMI cables, media player and devices not included.



Classic LED Consoles

If a simplified exercise experience is best for the people you serve, look for versions of our cardio equipment featuring our classic consoles. Intuitive navigation makes starting workouts easy, and a bright white LED display offers clear feedback to keep users on track for their goals. Now with Bluetooth connectivity, users can pair a heart rate strap or connect to favorite FTMS-compatible training apps. Best of all, you'll still be getting the same great reliability, innovation and value when it comes to the frame of the cardio equipment.

T600E TREADMILL

Performance, Durability & Entertainment

The refined design of our T600E Treadmill combines performance and durability with advanced console technology for exercise that entertains. A powerful motor and an extra-large running surface accommodate hard workouts, and heavy-duty components stand up to hard use. The large touchscreen console elevates the experience with popular apps, exclusive workout programs and streaming entertainment.

- 152 x 55.4 cm / 60" x 22" surface lets runners sprint comfortably
- Contact grips and wireless receiver offer easy heart rate tracking
- Includes water bottle holders and reading rack
- A heavy-gauge welded steel frame provides stability

.....









A Better Deck

Our fully pre-waxed, industrial-grade deck is cushioned for comfort and reversible to extend treadmill life.

T600 Treadmill

Simplify the exercise experience for the people you serve with our T600 Treadmill. It includes the same frame as our Entertainment Series model with a bright white LED Console. The intuitive design of our LED Console makes starting workouts hassle-free, and clear feedback makes it easy for everyone to stay on track for their goals.




S600E SUSPENSION ELLIPTICAL

Natural Movement & Entertainment

Our low-maintenance S600E Suspension Elliptical offers whisper-quiet, low-impact movement that engages the whole body, plus exercise that entertains. It features a smooth-moving suspension design, refined ergonomic details and an accessible frame that makes it easy for virtually anyone to start a comfortable workout. The large touchscreen console elevates the experience with popular apps, exclusive workout programs and streaming entertainment.

- Open design and low step-on height make it easy to get started
- Contact grips and wireless receiver offer easy heart rate tracking







Durability of Design

A heavy-gauge welded steel frame provides excellent stability during intense workouts and durability that withstands years of use.

S60 Suspension Elliptical

Simplify the exercise experience for the people you serve with our S60 Suspension Elliptical. It includes the same frame as our Entertainment Series model with a bright white LED Console. The intuitive design of our LED Console makes starting workouts hassle-free, and clear feedback makes it easy for everyone to stay on track for their goals.

Ergonomic Comfort

Large, cushioned pedals reduce stress on joints while narrow pedal spacing promotes good posture.



U600E UPRIGHT BIKE

Classic Design & Entertainment

Our U600E Upright Bike features the classic design cycling enthusiasts need for a pulse-pounding ride, plus extensive entertainment options. Multi-position handlebars make it easy to shift riding positions, and the comfortably contoured seat easily adjusts to give users of all sizes an ideal fit. The large touchscreen console elevates the experience with popular apps, exclusive workout programs and streaming entertainment.

- Contact grips and wireless receiver offer easy heart rate tracking
- · Includes water bottle holder
- A heavy-gauge welded steel frame provides stability







Better Pedals

Self-balancing pedals with adjustable straps make it easy for anyone to strap in and go.

U60 Upright Bike

with our U60 Upright Bike. It includes the same frame as our Entertainment Series model with a bright white LED Console. The intuitive design of our LED Console makes starting workouts hassle-free, and clear feedback makes it easy for everyone to stay on track for their goals.




R600E RECUMBENT BIKE

Comfort, Convenience & Entertainment

Our R600E Recumbent Bike combines comfort and convenience with exercise that entertains. A recumbent design with a step-through frame makes low-impact workouts accessible to everyone, and a contoured seat and back pad provide excellent lumbar support and stability. The large touchscreen console elevates the experience with popular apps, exclusive workout programs and streaming entertainment.

- Contact grips and wireless receiver offer easy heart rate tracking
- A heavy-gauge welded steel frame provides stability







Easy Access

A step-through frame makes it easy for anyone from fitness enthusiasts to older and deconditioned users to step up to a low-impact cardio workout.

R60 Recumbent Bike

Simplify the exercise experience for the people you serve with our R60 Recumbent Bike. It includes the same frame as our Entertainment Series model with a bright white LED Console. The intuitive design of our LED Console makes starting workouts hassle-free, and clear feedback makes it easy for everyone to stay on track for their goals.



1C700 INDOOR CYCLE

Discover a Simply Reliable Ride

Now everyone at your facility can expect a solid, studio-style ride every time thanks to our IC700 Indoor Cycle. Everything about it is intuitive, from the four-way adjustable design to the seamlessly smooth transitions of the magnetic resistance to the streamlined service and maintenance. It's also passed rigorous endurance tests, so like everything from Vision, you can count on years of lasting durability. Bring the IC700 Indoor Cycle to your facility today to give your users a simply reliable way to ride.

- Magnetic resistance provides smooth transitions from high to low intensity
- Protective shroud shields key components from sweat for prolonged product life
- Removable shrouds and crankshafts streamline serviceability
- Optional LCD console (console takes the place of device holder on base model)





AB700 AIR BIKE

Add an Air of Challenge

Bring a fresh new challenge to your offering with an air bike designed for tough cardio and HIIT workouts. A low-noise, low-maintenance belt-drive system increases air resistance the harder riders pedal, pushing everyone from beginners to cardio enthusiasts to their limits. Our air bike also passed rigorous endurance tests, so you can count on years of lasting durability on your cardio floor and in HIIT sessions. Choose the AB700 Air Bike to add an air of challenge to your fitness facility.

- Training modes include pedals only, handlebars only or using both for full-body exercise
- Heavy-duty steel frame and platedsteel seat post offer lasting durability
- Protective shroud shields drive system from dust and sweat to prolong product life
- · Includes LCD console


GTC Console

Keep everyone on track for their goals with a backlit LCD console that clearly displays RPM, distance, calories, time and heart rate when used with ANT+ / 5 kHz heart rate monitor.

IC700: Console is optional AB700: Console is included
















FUNCTIONAL TRAINER

VST600-FT

Extreme Durability. Remarkable Versatility.

Our Functional Trainer will help your people strengthen their whole body while standing up to tough environments. Intuitive design makes it easy to start training, and heavy-duty construction means it will be there when users come back for more. Make a strong choice — invest in versatile functional fitness that lasts.

- 1:2 pulley ratio offers smooth operation when performing heavy exercises
- Enhanced placards highlight targeted muscle groups and proper user positioning for a wide range of exercises
- Oversized frame tubes provide excellent stability
- Six storage pegs offer easy access to training handles and accessories
- · Includes two D-handles









Designed for Superior Versatility

Multi-position pull-up handles provide greater exercise variety, and low starting weight makes it easy for anyone to get started and build progressions.

Refined for Easy Use

Clearly indicated adjustment points make use intuitive, and onehanded pulley adjustment offers easy operation.

Built for the Toughest Environments

Laser-cut, robotic-welded design with heavy-duty components and two-layer powder-coat finish provides lasting durability in busy fitness facilities.

Optional Handle Package

Our optional VST600-FTHP handle package includes a V-bar triceps rope and curl bar for training variety.











Space-efficient Design

Our selectorized dual stations pack maximum functionality into minimum space, helping you make the most of your fitness center.




Intuitive Adjustments

Highlighted adjustment points make it easy for even beginners to select a weight, adjust our selectorized station to their unique body and start a quick set.



Ergonomic Sculpting

The handles and touchpoints of our selectorized stations are sculpted with the human form in mind, making even intense workouts comfortable.



Excellent Accessibility

Open frames make it easy for users to enter and exit our selectorized stations, improving the flow of your fitness center.



Instructional Insights

Included instructional placards highlight targeted muscle groups and demonstrate the exercise, helping beginners get started and enthusiasts refine form.



Fully Enclosed Weight Stack

A fully enclosed weight stack protects the station's internal components from dust and debris, minimizing maintenance for you and your staff.

SINGLE STATIONS

SELECTORIZED STRENGTH



CHEST PRESS
VST600-S13



SHOULDER PRESS
VST600-S23



VST600-S70



ROTARY TORSO
VST600-S55



LATERAL RAISE
VST600-S21



PRONE LEG CURL VST600-S73



ROTARY HIP VST600-S76

DUAL STATIONS

SELECTORIZED STRENGTH



LAT PULLDOWN / SEATED ROW VST600-S331



CHIN / DIP ASSIST
VST600-S601



AB / LOW BACK VST600-S531



HIP ABDUCTOR / ADDUCTOR
VST600-S741



LEG EXTENSION / LEG CURL VST600-S711



BICEPS / TRICEPS
VST600-S401



PEC FLY / REAR DELT VST600-S221





Refined Ergonomics

The molded polyurethane foam pads and contoured touchpoints are sculpted with the human form in mind, making even intense workouts comfortable.



Natural Motions

Independent converging motions encourage a natural and effective path of movement for smooth, comfortable reps that put less stress on joints.



Training Variety

Built-in band pegs allow for resistance training that can be done with or without weight plates, offering increased exercise variety and explosive movement options.



Superior Stability

Extensive testing that mimics both normal and extreme use validates the superior stability of our design.

PLATE-LOADED



SHOULDER PRESS

VST700-PL23

Gas-assisted seat adjustment
• Four weight storage horns



LAT PULLDOWN

VST700-PL33

Gas-assisted seat adjustment • Four weight storage horns



INCLINE LEVER ROW

VST700-PL36

Pivoting, dual-grip handles maximize training variety · Two different foot positions accommodate users of different heights



SMITH MACHINE

VST700-PL62

90-degree path of motion accommodates a variety of exercises · Linear bearings for smooth operation · Counter-balanced 9.7-kg / 21-lb. bar takeoff for low starting resistance. · Open frame makes it easy to enter and exit · Six weight storage horns



LEG PRESS

VST700-PL70

Extra-large, non-slip platform provides secure and comfortable foot placement · Angle of the back pad easily adjusts to maximize comfort · Assistance handle on the foot plate makes it easy to enter and exit · Two weight storage horns



HACK SQUAT

VST700-PL71

Extra-large, non-slip platform provides secure and comfortable foot placement · Four weight storage horns · Spring-loaded locking design makes beginning easier and encourages smooth reps



SEATED CALF RAISE

VST700-PL77

Curved, angled footpad maximizes calf muscle recruitment · Seat moves smoothly with the bar for perfect alignment · Quick-release bar catch makes starting a set easy · Knee pad adjusts quickly and easily



GLUTE TRAINER

VST700-PL78

Optimized user positioning lets users securely and comfortably mimic hip bar thrusting • Maximum effective resistance of 222 kg / 489 lbs. • Extralarge, non-slip platform provides secure and comfortable foot placement

FREE WEIGHTS







OLYMPIC FLAT BENCH

VST700-FW78

Wide back pad enhances stability during heavy lifts · Four weight storage horns with horn bumpers to protect frame finish · Molded guards protect Olympic bars from damage while reducing noise

OLYMPIC FLAT SPOTTER BENCH

VST700-FW88

Five-position adjustable spotter arm · Wide back pad enhances stability during heavy lifts · Four weight storage horns with horn bumpers to protect frame finish · Molded guards protect Olympic bars from damage while reducing noise

OLYMPIC INCLINE BENCH

VST700-FW79

Easily adjusts to 6 positions to comfortably accommodate varying user sizes · Four weight storage horns with horn bumpers to protect frame finish · Molded guards protect Olympic bars from damage while reducing noise · Built in spotter platform · Optional four inner horns for additional storage (VST700-FWSH)



WEIGHT TREE

VS700-FW67

Eight angled weight storage horns position the heaviest weight plates farther from the ground for easier removal and replacement · Band holder offers convenient storage for multiple resistance bands · Horn bumpers protect frame finish



DUMBBELL RACK

VST600-FW510

Holds 10 pairs of pro-style dumbbells (not included) · 15-degree angle minimizes wrist strain when removing and replacing dumbbells · Cradles hold dumbbells securely to prevent rolling



ADJUSTABLE BENCH

VST600-FW82

Backrest easily adjusts to six secure positions for a range of exercises · Wide back pad provides excellent stability during heavy lifts · Integrated wheels offer easy transport and storage



FLAT BENCH

VST700-FW59

Wide back pad enhances stability during heavy lifts · Integrated wheels make it easy to move within facility



UTILITY BENCH

VST700-FW87

Ergonomic back pad support for stability and comfort



BACK EXTENSION BENCH

VST700-FW52

Easily adjusts to 13 positions to comfortably accommodate varying user sizes · Angled bench design makes it easy to enter and exit · Built-in band pegs allow for resistance training · Nonslip footpads and lower leg pads enhance comfort and stability




VKR W/CHIN

VST700-FW63


Angled back support, elbow pads and oversized, round handles for stability and comfort · Multiple chin-up grips add exercise variety

| FEATURE | T600E TREADMILL | T600 TREADMILL |
|-------------------------|---|--|
| FRAME | | |
| Model Number | T600E-02 | T600-03 |
| Frame Type | Heavy gauge welded steel | Heavy gauge welded steel |
| Running Area | 152 x 55.4 cm / 60" x 22" | 152 x 55.4 cm / 60" x 22" |
| Cushioning System | UltraZone cushioning system | UltraZone cushioning system |
| Deck Thickness | 25.4 mm/1" reversible | 25.4 mm/1" reversible |
| Drive System | 4.2 hp AC dynamic response drive system | 4.2 hp AC dynamic response drive system |
| Speed Range | 0.8–22 km/h / 0.5–13.8 mph (220 V) or 0.8–19.3 km/h / 0.5–12 mph (100–120 V) | 0.8–22 km/h / 0.5–13.8 mph (220 V) or 0.8–19.3 km/h / 0.5–12 mph (100–120 V) |
| Incline Range | O-15% | 0–15% |
| Extras | Water bottle holder, reading rack | Water bottle holder, reading rack |
| TECH SPECS | | |
| Assembled Dimensions | 215 x 91 x 165 cm / 85" x 36" x 65" | 215 x 91 x 154 cm / 85" x 36" x 61" |
| Assembled Weight | 185 kg / 408 lbs. | 178 kg / 392 lbs. |
| Max User Weight | 182 kg / 400 lbs. | 182 kg / 400 lbs. |
| Power Requirements | 220 V / 50–60 Hz or 100–120 V | 220 V / 50–60 Hz or 100–120 V |
| Power Supply | NEMA 6-20 (220 V) or NEMA 5-15 (100-120 V) (requirement may vary outside the USA) | NEMA 6-20 (220 V) or NEMA 5-15 (100-120 V) (requirement may vary outside the USA) |
| CONSOLE | | |
| Model Number | N/A | N/A |
| Display | 22" class capacitive touchscreen LCD | 10 x 14 white dot-matrix LED profile display, alphanumeric LEDs, HR zone display |
| Programs | Go, Manual, Sprint 8, Virtual Active, Target Heart Rate, Fat Burn, Rolling Hills, Time Goal, Distance Goal, Calorie Goal, 6 Fitness Tests, Custom, HIIT Mode | Manual, Interval, Time Goal, Distance Goal, Calories Goal, Random, Target HR, Weight Loss, Fitness Test |
| Workout Feedback | Time, Pace, Incline, Distance, Speed, Level, Calories, METs, Target HR, Actual HR, Profile | Time, Pace, Incline, Distance, Speed, Level, Calories, METs, Target HR, Actual HR, Profile |
| Heart Rate | Contact, telemetric, Bluetooth | Contact, telemetric, Bluetooth |
| Languages | English, German, French, Italian, Spanish, Dutch, Portuguese, Chinese-S, Chinese-T, Japanese, Korean, Swedish, Finnish, Russian, Arabic, Turkish, Polish, Welsh, Basque, Vietnamese, Somali, Danish, Thai, Malay, Catalan | English, German, French, Italian, Spanish, Dutch, Portuguese, Russian, Polish |
| HDMI IN Port | Yes; screen cast of smart devices which support HDMI out to console | No |
| CSAFE | Yes | No |
| Analog TV | Optional; NTSC, PAL, SECAM | No |
| Digital TV | Optional; ATSC 1.0, QAM-B, ISDB-T, ISDB-Tb, DVB-C/S/S2/T/T2 | No |
| Pro:Idiom Compatibility | Optional; via coax | No |
| WiFi | Yes | No |
| Bluetooth | Yes; Heart rate, headphones, FTMS transmits speed and other data to training apps | Yes; Heart rate, FTMS transmits speed and other data to training apps |
| USB Port | Yes; device charging, device media, software updates | No |



| Extras Water bottle holder, reading rack Water bottle holder, TECH SPECS Assembled Dimensions 186 x 75 x 164 cm / 74* x 29.5* x 64.5* 186 x 75 x 164 cm / 77* Assembled Weight 146.5 kg / 323 lbs 140 kg / 308 lbs. Max User Weight 182 kg / 400 lbs. 182 kg / 400 lbs. Power Requirements By power adapter; output: 12 V DC, 5 A Self-powered CONSOLE Model Number SUR-600E-C N/A Display 16* class capacitive touchscreen LCD 10 x 14 white dot-madedicated HR zone of dedicated HR zone of the company of th | | |
|--|--|--|
| Frame Type Suspension Elliptical Suspension Elliptical Stride Length 53.3 cm/21° 53.3 cm/21° Step-on Height 23 cm/9° 23 cm/9° Power Incline No No Resistance System 2-stage generator 2-stage generator Resistance Range 1-25 1-25 Pedal Type Oversized with rubber inserts Oversized with rubbe rubber inserts Oversized with rubber inserts Pedal Spacing 51 cm/2° 51 cm/2° Use a collection and state in any with contact heart rate grips Dual action and state between the place of | | |
| Stride Length 53.3 cm/2l* Step-on Height 23 cm/9* Power Incline No No Resistance System 2-stage generator 2-stage generator 2-stage generator 2-stage generator 3-25 Pedal Type Oversized with rubber inserts Oversized with rubber inserts 3-1-25 Pedal Type Oversized with rubber inserts Oversized with rubber inserts 3-1-25 Pedal Spacing 51 cm/2* Handlebar Design Dual action and stationary with contact heart rate grips Dual action and state Extras Water bottle holder, reading rack Water bottle holder, reading rack Water bottle holder, reading rack Water bottle holder, TECH SPEC ################################### | | |
| Step-on Height 23 cm / 9" Power Incline No No Resistance System 2-stage generator 2-stage generator Resistance Range 1-25 1-25 Pedal Type Oversized with rubber inserts Oversized with rubber inserts 2-stage generator 3-stage generator generator 3-stage generator generator 3-stage generator generator 3-stage genera | | |
| Power Incline No No Resistance System 2-stage generator 2-stage generator 2-stage generator 3-stage generator generator 3-stage generator genera | | |
| Resistance System 2-stage generator 2-stage generator 2-stage generator 2-stage generator Resistance Range 1-25 1-25 Pedal Type Oversized with rubber inserts Oversized with rubber special Spacing 51 cm / 2" 5 | | |
| Resistance Range 1-25 | | |
| Pedal Type Oversized with rubber inserts Oversized with rubber pedal Spacing 5.1 cm/2" 51 cm/ | | |
| Pedal Spacing S.1 cm / 2" S1 cm / 2" Dual action and stationary with contact heart rate grips Dual action and stationary with contact heart rate grips Dual action and stationary with contact heart rate grips Dual action and stationary with contact heart rate grips Dual action and stationary with contact heart rate grips Dual action and stationary with contact heart rate grips Dual action and stationary with contact heart rate grips Dual action and stationary with contact heart rate grips Dual action and stationary with contact heart rate grips Dual action and stationary with contact heart rate grips Dual action and stationary with contact heart rate grips Dual action and stationary with contact heart rate grips Dual action and stationary with contact heart rate grips Dual action and stationary with contact heart rate grips Dual action and stationary with contact heart rate grips Dual action and stationary with contact heart rate grips Dual action and stationary with contact heart rate grips Dual action and stationary with contact heart rate in Singh Prises Tests (A.5" 186 x 75 x 164 cm / 74" x 29.5" x 64.5" 186 x 75 x 164 cm / 74" x 29.5" x 64.5" 186 x 75 x 164 cm / 74" x 29.5" x 64.5" 186 x 75 x 164 cm / 74" x 29.5" x 64.5" 186 x 75 x 164 cm / 74" x 29.5" x 64.5" 182 kg / 400 lbs. 182 k | | |
| Handlebar Design Dual action and stationary with contact heart rate grips Dual action and state Extras Water bottle holder, reading rack Water bottle holder, water bottle holder, reading rack water bottle holder. Research water water water water water water bottle holder. Refer bottle holder, reading rack wate | er inserts | |
| Extras Water bottle holder, reading rack TECH SPECS Assembled Dimensions 186 x 75 x 164 cm / 74" x 29.5" x 64.5" 186 x 75 x 164 cm / 74" x 29.5" x 64.5" 186 x 75 x 164 cm / 74" x 29.5" x 64.5" 180 x 75 x 164 cm / 74" x 29.5" x 64.5" 180 x 75 x 164 cm / 74" x 29.5" x 64.5" 180 x 75 x 164 cm / 74" x 29.5" x 64.5" 180 x 75 x 164 cm / 74" x 29.5" x 64.5" 180 x 75 x 164 cm / 74" x 29.5" x 64.5" 180 x 75 x 164 cm / 74" x 29.5" x 64.5" 180 x 75 x 164 cm / 74" x 29.5" x 64.5" 180 x 75 x 164 cm / 74" x 29.5" x 64.5" 180 x 75 x 164 cm / 74" x 29.5" x 64.5" 180 x 75 x 164 cm / 74" x 29.5" x 64.5" 180 x 75 x 164 cm / 74" x 29.5" x 64.5" 180 x 75 x 164 cm / 74" x 29.5" x 64.5" 180 x 75 x 164 cm / 74" x 29.5" x 64.5" 180 x 75 x 164 cm / 74" x 29.5" x 64.5" 180 x 6 | | |
| Assembled Dimensions 186 x 75 x 164 cm / 74" x 29.5" x 64.5" 186 x 75 x 164 cm / 74" x 29.5" x 64.5" 140 kg / 308 lbs. Max User Weight 146.5 kg / 323 lbs 140 kg / 308 lbs. Max User Weight 182 kg / 400 lbs. 182 kg / 400 lbs. Power Requirements By power adapter; output: 12 V DC, 5 A Self-powered CONSOLE Model Number SUR-600E-C N/A Display 16" class capacitive touchscreen LCD 10 x 14 white dot-ma dedicated HR zone of the company of th | onary with contact heart rate grips | |
| Assembled Dimensions 186 x 75 x 164 cm / 74" x 29.5" x 64.5" 186 x 75 x 164 cm / 74 x 29.5" x 64.5" 140 kg / 308 lbs. Max User Weight 146.5 kg / 323 lbs 182 kg / 400 lbs. 182 kg / 400 lbs. Power Requirements By power adapter; output: 12 V DC, 5 A Self-powered CONSOLE Model Number SUR-600E-C N/A Display 16" class capacitive touchscreen LCD 10 x 14 white dot-matedicated HR zone of the company of the compa | reading rack | |
| Assembled Weight 146.5 kg / 323 lbs 140 kg / 308 lbs. Max User Weight 182 kg / 400 lbs. 182 kg / 400 lbs. Power Requirements By power adapter; output: 12 V DC, 5 A Self-powered CONSOLE Model Number SUR-600E-C N/A Display 16" class capacitive touchscreen LCD lost adedicated HR zone of edicated HR zone of English, German, Fresch, Italian, Spanish, Dutch, Portuguese, Chinese-Ts, Japanese, Korean, Swedish, Finnish, Russian, Arabic, Turkish, Polish, Weish, Basque, Vietnamese, Somali, Danish, Thai, Malay, Catalan HDMI IN Port Yes, Screen cast of smart devices that support HDMI out to console No CSAFE Yes No Analog TV Optional; NTSC, PAL, SECAM No Bluetooth Yes, Heart rate, headphones, FTMS transmits speed and other data to training apps Yes; Heart rate, FTMS 182 kg / 400 lbs. 10 | | |
| Max User Weight 182 kg / 400 lbs. Power Requirements By power adapter; output: 12 V DC, 5 A Self-powered CONSOLE Model Number SUR-600E-C N/A Display 16° class capacitive touchscreen LCD log, 5 and dedicated HR zone of the consoler fat Burn, Rolling Hills, Constant Watts, Time Goal, Distance Goal, Calorie Goal, Fitness Tests, Custom Time, Distance, Calories, Speed, Resistance, Level, RPM, METs, Watts, HR, Target HR, % Max HR, Profile Target HR, % Max HR, Profile Heart Rate Contact, telemetric, Bluetooth Contact, telemetric, Bluetooth Contact, telemetric, Binglish, German, French, Italian, Spanish, Dutch, Portuguese, Chinese-S, Chinese-T, Japanese, Korean, Swedish, Finnish, Russian, Arabic, Turkish, Polish, Welsh, Basque, Vietnamese, Somali, Danish, Thai, Malay, Catalan HDMI IN Port Yes, screen cast of smart devices that support HDMI out to console No CSAFE Yes No Analog TV Optional; NTSC, PAL, SECAM No Digital TV Optional; ATSC 1.0, QAM-B, ISDB-T, ISDB-Tb, DVB-C/S/S2/T/T2 No Pro:Idiom Compatibility Optional; via Coax WiFi Yes No Bluetooth Yes, Heart rate, headphones, FTMS transmits speed and other data to training apps Yes; Heart rate, FTM: | " x 29.5" x 64.5" | |
| Power Requirements By power adapter; output: 12 V DC, 5 A CONSOLE Model Number SUR-600E-C N/A Display 16° class capacitive touchscreen LCD 10 x 14 white dot-madedicated HR zone of dedicated HR zone of the programs 200, Manual, Sprint 8, Virtual Active, Target Heart Rate, Interval Training, Fat Burn, Rolling Hills, Constant Watts, Time Goal, Distance Goal, Calorie Goal, Watts, Interval Watts Fat Burn, Rolling Hills, Constant Watts, Time Goal, Distance Goal, Calorie Goal, Watts, Interval Watts Times, Distance, Calories, Speed, Resistance, Level, RPM, METs, Watts, HR, Time, Distance, Calories, Target HR, % Max HR, Profile Heart Rate Contact, telemetric, Bluetooth Contact, telemetric, Binglish, German, French, Italian, Spanish, Dutch, Portuguese, Chinese-S, Chinese-T, Japanese, Korean, Swedish, Finnish, Russian, Arabic, Turkish, Polish, Welsh, Basque, Vietnamese, Somali, Danish, Thai, Malay, Catalan HDMI IN Port Yes, screen cast of smart devices that support HDMI out to console No CSAFE Yes No Analog TV Optional; NTSC, PAL, SECAM No Digital TV Optional; ATSC 1.0, QAM-B, ISDB-T, ISDB-Tb, DVB-C/S/S2/T/T2 No Pro:Idiom Compatibility Optional; via Coax No WiFi Yes No Bluetooth Yes, Heart rate, headphones, FTMS transmits speed and other data to training apps Yes; Heart rate, FTMS | | |
| Model Number SUR-600E-C N/A Display 16" class capacitive touchscreen LCD 10 x 14 white dot-material dedicated HR zone of dedicated HR zone of the control o | | |
| Model Number SUR-600E-C N/A Display 16" class capacitive touchscreen LCD 10 x 14 white dot-material dedicated HR zone of dedicated HR zone of the control o | | |
| Display 16" class capacitive touchscreen LCD Co, Manual, Sprint 8, Virtual Active, Target Heart Rate, Interval Training, Fat Burn, Rolling Hills, Constant Watts, Time Goal, Distance Goal, Calorie Goal, Watts, Interval Watts Fitness Tests, Custom Workout Feedback Time, Distance, Calories, Speed, Resistance, Level, RPM, METs, Watts, HR, Target HR, % Max HR, Profile Heart Rate Contact, telemetric, Bluetooth Contact, telemetric, Bluetooth English, German, French, Italian, Spanish, Dutch, Portuguese, Chinese-S, Chinese-T, Japanese, Korean, Swedish, Finnish, Russian, Arabic, Turkish, Polish, Welsh, Basque, Vietnamese, Somali, Danish, Thai, Malay, Catalan HDMI IN Port Yes, screen cast of smart devices that support HDMI out to console No CSAFE Yes No Analog TV Optional; NTSC, PAL, SECAM No Digital TV Optional; ATSC 1.0, QAM-B, ISDB-T, ISDB-Tb, DVB-C/S/S2/T/T2 No Pro:Idiom Compatibility Optional; via Coax No WiFi Yes, Heart rate, headphones, FTMS transmits speed and other data to training apps Yes; Heart rate, FTMS | | |
| Programs Go, Manual, Sprint 8, Virtual Active, Target Heart Rate, Interval Training, Fat Burn, Rolling Hills, Constant Watts, Time Goal, Distance Goal, Calorie Goal, Watts, Interval Watts Fitness Tests, Custom Time, Distance, Calories, Speed, Resistance, Level, RPM, METs, Watts, HR, Time, Distance, Calories, Target HR, % Max HR, Profile Heart Rate Contact, telemetric, Bluetooth Contact, telemetric, Binglish, German, French, Italian, Spanish, Dutch, Portuguese, Chinese-S, Chinese-T, Japanese, Korean, Swedish, Finnish, Russian, Arabic, Turkish, Polish, Welsh, Basque, Vietnamese, Somali, Danish, Thai, Malay, Catalan HDMI IN Port Yes; screen cast of smart devices that support HDMI out to console No CSAFE Yes No Analog TV Optional; NTSC, PAL, SECAM No Digital TV Optional; ATSC 1.0, QAM-B, ISDB-T, ISDB-Tb, DVB-C/S/S2/T/T2 No Pro:Idiom Compatibility Optional; via Coax No WiFi Yes No Bluetooth Yes; Heart rate, headphones, FTMS transmits speed and other data to training apps Yes; Heart rate, FTM: | | |
| Programs Fat Burn, Rolling Hills, Constant Watts, Time Goal, Distance Goal, Calorie Goal, Marlual, Interval, Patt, Fitness Tests, Custom Workout Feedback Time, Distance, Calories, Speed, Resistance, Level, RPM, METs, Watts, HR, Time, Distance, Calor Target HR, % Max HR, Profile Heart Rate Contact, telemetric, Bluetooth Contact, telemetric, Bluetooth English, German, French, Italian, Spanish, Dutch, Portuguese, Chinese-S, Chinese-T, Japanese, Korean, Swedish, Finnish, Russian, Arabic, Turkish, Polish, Welsh, Basque, Vietnamese, Somali, Danish, Thai, Malay, Catalan HDMI IN Port Yes; screen cast of smart devices that support HDMI out to console No CSAFE Yes No Analog TV Optional; NTSC, PAL, SECAM No Digital TV Optional; ATSC 1.0, QAM-B, ISDB-T, ISDB-Tb, DVB-C/S/S2/T/T2 No ProcIdiom Compatibility Optional; via Coax WiFi Yes No Bluetooth Yes; Heart rate, headphones, FTMS transmits speed and other data to training apps Yes; Heart rate, FTM: | rix LED profile display, alphanumeric LEDs, isplay | |
| Target HR, % Max HR, Profile Target HR, % Max HR, Profile Contact, telemetric, Bluetooth English, German, French, Italian, Spanish, Dutch, Portuguese, Chinese-S, Chinese-T, Japanese, Korean, Swedish, Finnish, Russian, Arabic, Turkish, Polish, Welsh, Basque, Vietnamese, Somali, Danish, Thai, Malay, Catalan HDMI IN Port Yes; screen cast of smart devices that support HDMI out to console No CSAFE Yes No Analog TV Optional; NTSC, PAL, SECAM Digital TV Optional; ATSC 1.0, QAM-B, ISDB-T, ISDB-Tb, DVB-C/s/s2/T/T2 No Pro:Idiom Compatibility Optional; via Coax No WiFi Yes No Bluetooth Yes; Heart rate, headphones, FTMS transmits speed and other data to training apps Yes; Heart rate, FTM: | Manual, Interval, Fat Burn, Random, HR Weight Loss, HR Interval, Constant Watts, Interval Watts, Hill Watts, Time Goal, Distance Goal, Calories Goal | |
| English, German, French, Italian, Spanish, Dutch, Portuguese, Chinese-S, Chinese-T, Japanese, Korean, Swedish, Finnish, Russian, Arabic, Turkish, Polish, Welsh, Basque, Vietnamese, Somali, Danish, Thai, Malay, Catalan HDMI IN Port Yes; screen cast of smart devices that support HDMI out to console No CSAFE Yes No Analog TV Optional; NTSC, PAL, SECAM No Digital TV Optional; ATSC 1.0, QAM-B, ISDB-T, ISDB-Tb, DVB-C/S/S2/T/T2 No Pro:Idiom Compatibility Optional; via Coax No WiFi Yes No Bluetooth Yes; Heart rate, headphones, FTMS transmits speed and other data to training apps Yes; Heart rate, FTMS | Time, Distance, Calories, Speed, Resistance, Level, RPM, METs, Watts, HR, Target HR, % Max HR, Profile | |
| Languages Chinese-T, Japanese, Korean, Swedish, Finnish, Russian, Arabic, Turkish, Polish, Welsh, Basque, Vietnamese, Somali, Danish, Thai, Malay, Catalan HDMI IN Port Yes, screen cast of smart devices that support HDMI out to console No CSAFE Yes No Analog TV Optional; NTSC, PAL, SECAM No Digital TV Optional; ATSC 1.0, QAM-B, ISDB-T, ISDB-Tb, DVB-C/S/S2/T/T2 No Pro:Idiom Compatibility Optional; via Coax No WiFi Yes No Bluetooth Yes; Heart rate, headphones, FTMS transmits speed and other data to training apps Yes; Heart rate, FTMS | Contact, telemetric, Bluetooth | |
| CSAFE Yes No Analog TV Optional; NTSC, PAL, SECAM No Digital TV Optional; ATSC 1.0, QAM-B, ISDB-T, ISDB-Tb, DVB-C/S/S2/T/T2 No Pro:Idiom Compatibility Optional; via Coax No WiFi Yes No Bluetooth Yes; Heart rate, headphones, FTMS transmits speed and other data to training apps Yes; Heart rate, FTMS | English, German, French, Italian, Spanish, Dutch, Portuguese | |
| Analog TV Optional; NTSC, PAL, SECAM No Digital TV Optional; ATSC 1.0, QAM-B, ISDB-T, ISDB-Tb, DVB-C/S/S2/T/T2 No Pro:Idiom Compatibility Optional; via Coax No WiFi Yes No Bluetooth Yes; Heart rate, headphones, FTMS transmits speed and other data to training apps Yes; Heart rate, FTMS | | |
| Digital TV Optional; ATSC 1.0, QAM-B, ISDB-T, ISDB-Tb, DVB-C/s/s2/T/T2 No Pro: Idiom Compatibility Optional; via Coax No WiFi Yes No Bluetooth Yes; Heart rate, headphones, FTMS transmits speed and other data to training apps Yes; Heart rate, FTMS | | |
| Pro:Idiom Compatibility Optional; via Coax No WiFi Yes No Bluetooth Yes; Heart rate, headphones, FTMS transmits speed and other data to training apps Yes; Heart rate, FTMS | | |
| WiFi Yes No Bluetooth Yes; Heart rate, headphones, FTMS transmits speed and other data to training apps Yes; Heart rate, FTMS | | |
| Bluetooth Yes; Heart rate, headphones, FTMS transmits speed and other data to training apps Yes; Heart rate, FTMS | No | |
| | | |
| USB Port Yes; device charging, device media, software updates No | transmits speed and other data to training apps | |
| | | |
| | State of the state | |

| FEATURE | U600E UPRIGHT BIKE | U60 UPRIGHT BIKE | R600E RECUMBENT BIKE | R60 RECUMBENT BIKE |
|-------------------------|---|--|--|--|
| FRAME | | | | |
| Model Number | U-600E-F | U60-04 | R-600E-F | R60-04 |
| Q-Factor | 198mm / 7.8" | 198mm / 7.8" | 200mm / 7.9" | 200mm/7.9" |
| Frame Type | Heavy-gauge welded steel, upright | Heavy-gauge welded steel, upright | Heavy-gauge welded steel, recumbent | Heavy-gauge welded steel, recumber |
| Pedal Type | Self-balancing with adjustable straps | Self-balancing with adjustable straps | Self-balancing with adjustable straps | Self-balancing with adjustable straps |
| Seat Type | Pure Comfort seat | Pure Comfort seat | Pure Comfort seat | Pure Comfort seat |
| Seat Adjustment | 15 positions, up / down | 15 positions, up / down | 28 positions | 28 positions |
| Resistance System | 2-stage generator | 2-stage generator | 2-stage generator | 2-stage generator |
| Resistance Range | 1-25 | 1–25 | 1–25 | 1–25 |
| Handlebar Design | Multi-position handlebars with armrests and contact heart rate grips | Multi-position handlebars with armrests and contact heart rate grips | Console and seat-mounted with contact heart rate grips | Console and seat-mounted with contact heart rate grips |
| Extras | Water bottle holder, reading rack | Water bottle holder, reading rack | Water bottle holder, reading rack | Water bottle holder, reading rack |
| TECH SPECS | | | | |
| Assembled Dimensions | 104 x 65 x 144 cm / 41" x 25.6" x 56.7" | 104 x 65 x 138.3 cm / 41" x 25.6" x 54.4" | 161.9 x 72.5 x 138.3 cm / 63.7" x 28.5" x 54.4" | 161.9 x 72.5 x 138.3 cm / 63.7" x 28.5" x 54.4" |
| Assembled Weight | 57 kg / 125 lbs. | 52 kg / 115 lbs. | 74.5 kg / 164 lbs. | 70 kg / 154 lbs. |
| Max User Weight | 182 kg / 400 lbs. | 182 kg / 400 lbs. | 182 kg / 400 lbs. | 182 kg / 400 lbs. |
| Power Requirements | By power adapter, output: 12 V DC, 5 A | Self-powered | By power adapter, output: 12 V DC, 5 A | Self-powered |
| CONSOLE | | | | |
| Model Number | SUR-600E-C | N/A | SUR-600E-C | N/A |
| Display | 16" class capacitive touchscreen LCD | 10 x 14 white dot-matrix LED profile display, alphanumeric LEDs, dedicated HR zone display | 16" class capacitive touchscreen LCD | 10 x 14 white dot-matrix LED profile display, alphanumeric LEDs, dedicate HR zone display |
| Programs | Go, Manual, Sprint 8, Virtual Active, Target Heart Rate, Interval Training, Fat Burn, Rolling Hills, Constant Watts, Time Goal, Distance Goal, Calorie Goal, Fitness Tests, Custom | Manual, Interval, Fat Burn, Random, Constant Watts, Interval Watts, Hill Watts, Time Goal, Distance Goal, Calories Goal, HR Weight Loss, HR Interval | Go, Manual, Sprint 8, Virtual Active, Target Heart Rate, Interval Training, Fat Burn, Rolling Hills, Constant Watts, Time Goal, Distance Goal, Calorie Goal, Fitness Tests, Custom | Manual, Interval, Fat Burn, Random, Constant Watts, Interval Watts, Hill Watts, Time Goal, Distance Goal, Calories Goal, HR Weight Loss, HR Interval |
| Workout Feedback | Time, Distance, Calories, Speed, Resistance, Level, RPM, METs, Watts, HR, Target HR, % Max HR, Profile | Time, Distance, Calories, Speed, Resistance, Level, RPM, METs, Watts, HR, Target HR, % Max HR, Profile | Time, Distance, Calories, Speed, Resistance, Level, RPM, METs, Watts, HR, Target HR, % Max HR, Profile | Time, Distance, Calories, Speed, Resistance, Level, RPM, METs, Watts, HR, Target HR, % Max HR, Profile |
| Heart Rate | Contact, telemetric, Bluetooth | Contact, telemetric, Bluetooth | Contact, telemetric, Bluetooth | Contact, telemetric, Bluetooth |
| Languages | English, German, French, Italian, Spanish, Dutch, Portuguese, Chinese-S, Chinese-T, Japanese, Korean, Swedish, Finnish, Russian, Arabic, Turkish, Polish, Welsh, Basque, Vietnamese, Somali, Danish, Thai, Malay, Catalan | English, German, French, Italian, Spanish, Dutch, Portuguese | English, German, French, Italian, Spanish, Dutch, Portuguese, Chinese-S, Chinese-T, Japanese, Korean, Swedish, Finnish, Russian, Arabic, Turkish, Polish, Welsh, Basque, Vietnamese, Somali, Danish, Thai, Malay, Catalan | English, German, French, Italian, Spanish, Dutch, Portuguese |
| HDMI IN Port | Yes; screen cast of smart devices which support HDMI out to console | No | Yes; screen cast of smart devices which support HDMI out to console | No |
| CSAFE | Yes | No | Yes | No |
| Analog TV | Optional; NTSC, PAL, SECAM | No | Optional; NTSC, PAL, SECAM | No |
| Digital TV | Optional; ATSC 1.0, QAM-B, ISDB-T, ISDB-Tb, DVB-C/S/S2/T/T2 | No | Optional; ATSC 1.0, QAM-B, ISDB-T, ISDB-Tb, DVB-C/S/S2/T/T2 | No |
| Pro:Idiom Compatibility | Optional; via coax | No | Optional; via coax | No |
| WiFi | Yes | No | Yes | No |
| Bluetooth | Yes; Heart rate, headphones, FTMS transmits speed and other data to training apps | Yes; Heart rate, FTMS transmits speed and other data to training apps | Yes; Heart rate, headphones, FTMS transmits speed and other data to training apps | Yes; Heart rate, FTMS transmits spee and other data to training apps |
| USB Port | Yes; device charging, device media, software updates | No | Yes; device charging, device media, software updates | No |
| | | | | |




| FEATURE | IC700 INDOOR CYCLE | . | AB700 AIR BIKE | |
|---|---|--|--|--|
| DRIVE | | | | |
| Drive Train | Poly-V Belt | | Poly-V Belt | |
| FEATURES | | | | |
| Bluetooth FTMS Connectivity | No | | No | |
| Water Bottle Holder | Dual, integrated on handlebar | | Yes | |
| Transport Wheels | 2 | | 2 | |
| Device Storage | Built-in phone holder | | No | |
| Power Measurement (Watts) | No | | No | |
| Generator Powered | No | | No | |
| Power Requirements | No | | No | |
| Resistance System | Magnetic | | Air | |
| Posts & Sliders | Aluminum, pin-to-lock vertical a | djustment | Pin-to-lock adjustment | |
| Handlebar | Ergo-formed, multi-position, sof | t PVC | Ergo-formed, multi-position, PVC | |
| Handlebar Adjustments | Vertical & horizontal | | No | |
| Saddle | Ergonomically sculpted seat | | Ergonomically sculpted seat | |
| Saddle Adjustments | Vertical & horizontal | | Vertical & horizontal | |
| FRAME | | | | |
| Frame Color | Matte black | | Matte black | |
| Frame Material | Steel | | Steel | |
| Pedal Type | Dual-sided SPD & toe cage | | Wide pedal with anti-slip texture | |
| Leveling Feet | 4 | | 4 | |
| Shrouds and Guards | Yes | | Yes | |
| TECH SPECS | | | | |
| Max. User Weight | 159 kg / 350 lbs. | | 150 kg / 330 lbs. | |
| Product Weight | 58 kg / 127.6 lbs | | 70 kg / 154.3 lbs. | |
| Overall Dimensions (L x W x H) | 127 x 62 x 108 cm / 50" x 24.4" x 4. | 2.5" | 128 x 71 x 131 cm / 50.5" x 28" x 51.7" | |
| CONSOLE | | | | |
| Model Number | GTC LCD-C | | GTC LCD-C | |
| Display | Wireless LCD | | Wireless LCD | |
| Training Feedback | RPM, HR (w/strap), Distance, Cal | ories, Time | RPM, HR (w/strap), Distance, Calories, Time | |
| Heart Rate Connectivity | ANT+, 5 KHz | | ANT+, 5 KHz | |
| Power Requirements | 3 AAA batteries in console, CR2032 coin battery in speed set | nsor | 3 AAA batteries in console, CR2032 coin battery in speed sensor | |
| Product Weight | 0.22 kg / 0.48 lbs | | 0.22 kg / 0.48 lbs. | |
| Overall Dimensions (L X W X H) | 7 x 3 x 14.1 cm / 2.75" x 1.18" x 5.55" | | 7 x 3 x 14.1 cm / 2.75" x 1.18" x 5.55" | |
| FEATURE | | FUNCTIONAL TRAINE VST600-FT-02 | ER. | |
| ADJUSTMENTS | | 1010001102 | | |
| Color-coded Pivots & Points of Adjustment | | Yes | | |
| User Adjustment Range | | 18 user start options | | |
| FRAME & CABLES | | lo user start options | | |
| Available Frame Color | | Black | | |
| Frame Finish | | | | |
| Cable Transmission | | Proprietary two-coat powder pro | | |
| TECH SPECS | | Internally lubricated cables and | nungs | |
| Overall Dimensions | | 155 x 106 x 219 cm / 66" x 41.7" x 8 | 6.2" | |
| Product Weight | | 429 kg / 945 lbs. | 0.2" | |
| USER AMENITIES | | 425 kg / 545 lbs. | | |
| Included Accessories | | 3 D rings | | |
| | | 2 D-rings | | |
| Optional Handle Package (VST600-FTHP) | | V-Bar, Triceps Rope, Curl Bar | | |
| Placards Placard Color Coding | | Muscle call outs, color-coded, start and finish exercise illustrations | | |
| | | Yellow (upper body), blue (lower | body), green (core) | |
| Attachment Storage | | 6 pegs | oversine | |
| Multi-grip Pull-up Bars | | Various grip angles for variety of | evercibe | |
| WEIGHT STACK | | | | |
| WEIGHT STACK Total Stack Weight | | 190 kg / 418.8 lbs. (95 kg / 209.4 lb | os perside) | |

| FEATURE | CHEST PRESS VST600-S13 | LATERA VST600- | | LEG PRESS VST600-S70 | | PRONE LEG CURL VST600-S73 |
|--|---|------------------------------------|--|---|-------------------------------|---|
| ADJUSTMENTS | | | | | | |
| User Adjustment Range | 5 user height positions | 5 user heigh | t positions | 10 user height positions | | 6 user height positions |
| Color-coded Pivots & Points of Adjustment | Yes | Yes | | Yes | | Yes |
| FRAME & CABLES | | | | | | |
| Frame Color | Matte Black | Matte Black | | Matte Black | | Matte Black |
| Frame Finish | Proprietary two-coat powder process | Proprietary t | wo-coat powder process | Proprietary two-coat power | der process | Proprietary two-coat powder process |
| Cable Transmission | Internally lubricated cables and fittings | Internally lub and fittings | oricated cables | Internally lubricated cables and fittings | 5 | Internally lubricated cables and fittings |
| Machine Anchoring | 4 anchoring locations | 4 anchoring | locations | 4 anchoring locations | | 4 anchoring locations |
| TECH SPECS | | | | | | |
| Overall Dimensions | 115.4 x 142.5 x 196.0 cm / 45.4" x 56.1" x 77.2" | 106.0 x 124.5 : 41.7" x 49.0" x | | 207.0 x 96.5 x 170.5 cm / 81.5" x 38.0" x 67.1" | | 149.5 x 96.5 x 170.5 cm / 58.9" x 38.0" x 67.1" |
| Product Weight | 224 kg / 493 lbs. | 173.3 kg / 382 | ! lbs. | 311.8 kg / 686 lbs. | | 197.5 kg / 435 lbs. |
| USER AMENITIES | | | | | | |
| Instructional Placards | Muscle call outs, start and finish exercise illustrations | | uts, start and se illustrations | Muscle call outs, start and finish exercise illustrations | | Muscle call outs, start and finish exercise illustrations |
| Placard Color Coding | Yellow (upper body) | Yellow (uppe | r body) | Green (lower body) | | Green (lower body) |
| Contoured seat | Yes | Yes | | Yes | | Yes |
| WEIGHT STACK | | | | | | |
| Total Stack Weight | 100 kg / 220 lbs. | 68.2 kg / 150 | lbs. | 177.3 kg / 390 lbs. | | 100 kg / 220 lbs. |
| Weight Plate Increments | 6.8 kg / 15 lbs. | 4.5 kg / 10 lbs | 5. | 9.1 kg / 20 lbs. | | 6.8 kg / 15 lbs. |
| Consistent Stack Height | Yes | Yes | | Yes | | Yes |
| Weight Stack Guarding | Full front and rear shields | Full front and | d rear shields | Full front and rear shields | | Full front and rear shields |
| FEATURE | ROTARY HIP VST600-S76 | | ROTARY TORSO VST600-S55 | | SHOULE VST600- | DER PRESS S23 |
| ADJUSTMENTS | | | | | | |
| User Adjustment Range | 5 user height positions | | 8 user start options | | 5 user heigh | t positions |
| Color-coded Pivots & Points of Adjustment | Yes | | Yes | | Yes | |
| FRAME & CABLES | | | | | | |
| Frame Color | Matte Black | | Matte Black | | Matte Black | |
| Frame Finish | Proprietary two-coat powder process | | Proprietary two-coat power | der process | Proprietary 1 | wo-coat powder process |
| Cable Transmission | Internally lubricated cables and fittings | | Internally lubricated cable | s and fittings | Internally lu | oricated cables and fittings |
| Machine Anchoring | 4 anchoring locations | | 4 anchoring locations | | 4 anchoring | locations |
| TECH SPECS | | | | | | |
| Overall Dimensions | 116.5 x 135.5 x 172.5 cm / 45.9" x 53.3" x 67.9 | " | 133.0 x 130.0 x 170.5 cm / 52 | .4" x 51.2" x 67.1" | 150.9 x 142.0 | x 170.5 cm / 59.4" x 55.9" x 67.1" |
| Product Weight | 226 kg / 498 lbs. | | 197.3 kg / 435 lbs. | | 194.2 Kg / 42 | 7 lbs. |
| USER AMENITIES | | | | | | |
| Instructional Placards | Muscle call outs, start and finish exercise illustrations | | Muscle call outs, start and exercise illustrations | finish | Muscle call of exercise illus | outs, start and finish strations |
| Placard Color Coding | Green (lower body) | | Red (core) | | Yellow (uppe | er body) |
| Contoured seat | N/A | | Yes | | Yes | |
| WEIGHT STACK | | | | | | |
| Total Stack Weight | 100 kg / 220 lbs. | | 68.2 kg / 150 lbs. | | 68.2 kg / 150 | |
| Weight Plate Increments | 6.8 kg / 15 lbs. | | 4.5 kg /10 lbs. | | 4.5 kg / 10 lb | 5. |
| Consistent Stack Height | Yes | | Yes | | Yes | |
| Weight Stack Guarding | Full front and rear shields | | Full front and rear shields | | Full front an | d rear shields |



| FEATURE | AB / LOW BACK VST600-S531 | BICEPS / TRICEPS VST600-S401 | CHIN / DIP ASSIST VST600-S601 | | HIP ABDUCTOR / ADDUCTOR VST600-S741 |
|---|---|---|---|---------------------------------|---|
| ADJUSTMENTS | | | | | |
| User Adjustment Range | 5 user start positions | N/A | N/A | | 8 user start positions |
| Color-coded Pivots & Points of Adjustment | Yes | Yes | Yes | | Yes |
| FRAME & CABLES | | | | | |
| Frame Color | Matte Black | Matte Black | Matte Black | | Matte Black |
| Frame Finish | Proprietary two-coat powder process | Proprietary two-coat powder proces | | er process | Proprietary two-coat powder process |
| Cable Transmission | Internally lubricated cables and fittings | Internally lubricated cables and fittings | Internally lubricated cables and fittings | | Internally lubricated cables and fittings |
| Machine Anchoring TECH SPECS | 4 anchoring locations | 4 anchoring locations | 5 anchoring locations | | 4 anchoring locations |
| Overall Dimensions | 126.5 × 113.0 × 170.5 cm / 49.8" × 44.5" × 67.1" | 84.0 x 159.0 x 215.0 cm / 33.1" x 62.6" x 84.6" | 128.0 x 143.5 x 239.6 cm / 50.4" x 56.5" x 94.3" | | 80.0 x 177.5 x 170.5 cm / 31.5" x 69.9" x 67.1" |
| Product Weight | 223 kg / 491 lbs. | 181.3 kg / 399 lbs. | 222 kg / 489 lbs. | | 233.5 kg / 514 lbs. |
| USER AMENITIES | | | | | |
| Instructional Placards | Muscle call outs, start and finish exercise illustrations | Muscle call outs, start and finish exercise illustrations | Muscle call outs, start and finish exercise illustrations | | Muscle call outs, start and finish exercise illustrations |
| Placard Color Coding | Red (core) | Yellow (upper body) | Yellow (upper body) | | Green (lower body) |
| Contoured seat | Yes | N/A | N/A | | Yes |
| WEIGHT STACK | | | | | |
| Total Stack Weight | 100 kg / 220 lbs. | 68.2 kg / 150 lbs. | 100 kg / 220 lbs. | | 100 kg / 220 lbs. |
| Weight Plate Increments | 6.8 kg / 15 lbs. | 6.8 kg / 15 lbs. | 6.8 kg / 15 lbs. | | 6.8 kg / 15 lbs. |
| Consistent Stack Height | Yes | Yes | Yes | | Yes |
| Weight Stack Guarding | Full front and rear shields | Full front and rear shields | Full front and rear shields | | Full front and rear shields |
| FEATURE | LAT PULLDOWN / SEATED ROW VST600-S331 | LEG EXTENSIO LEG CURL VST600-S711 | | PEC FLY VST600-S | / REAR DELT S221 |
| ADJUSTMENTS | | | | | |
| User Adjustment Range | N/A | 8 user start positions | | Adjustable st | tart position from front to rear |
| Color-coded Pivots & Points of Adjustment | Yes | Yes | | Yes | |
| FRAME & CABLES | | | | | |
| Frame Color | Matte Black | Matte Black | | Matte Black | |
| Frame Finish | Proprietary two-coat powder process | Proprietary two-coat p | powder process | Proprietary t | wo-coat powder process |
| Cable Transmission | Internally lubricated cables and fittings | Internally lubricated cables and fittings | | Internally lub cables and fi | |
| Machine Anchoring | 4 anchoring locations | 4 anchoring locations | | 4 anchoring | locations |
| TECH SPECS Overall Dimensions | 120.5 x 201.0 x 215.0 cm/ | 150.0 x 118.0 x 170.5 cm | / | 80.0 x 134.0 x | .211.8 cm/ |
| | 47.4" x 79.1" x 84.6" | 59.1" x 46.5" x 67.1" | | 31.5" x 52.8" x | |
| Product Weight | 219 kg / 482 lbs. | 246 kg / 542 lbs. | | 263.3 kg / 580 | O lbs. |
| USER AMENITIES Instructional Placards | Muscle call outs, start and finish | Muscle call outs, start | and finish | | uts, start and finish |
| Placard Color Coding | exercise illustrations Yellow (upper body) | exercise illustrations Green (lower body) | | exercise illust Yellow (uppe | |
| Contoured seat | Yes | Yes | | Yes | |
| WEIGHT STACK | | | | | |
| Total Stack Weight | 100 kg / 220 lbs. | 100 kg / 220 lbs. | | 131.8 kg / 290 | lbs. |
| Weight Plate Increments | 6.8 kg / 15 lbs. | 6.8 kg / 15 lbs. | | 9.1 kg / 20 lbs | i. |
| Consistent Stack Height Weight Stack Guarding | Yes Full front and rear shields | Yes Full front and rear shie | | Yes | d rear shields |
| | | | | | 4244 |

| FEATURE | SHOULDER PRESS VST700-PL23 | LAT PULLDOWN VST700-PL33 | INCLINE LEVER ROW VST700-PL36 | SMITH MACHINE VST700-PL62 |
|------------------------|---|---|---|---|
| FRAME | | | | |
| Frame Color | Matte Black | Matte Black | Matte Black | Matte Black |
| Frame Finish | Proprietary two-coat powder process |
| TECH SPECS | | | | |
| Overall Dimensions | 152.9 x 151.1 x 142.9 cm / 60.2" x 59.5" x 56.3" | 168.8 x 162.3 x 195.5 cm / 66.5" x 63.9" x 77" | 199.1 x 130 x 125.4 cm / 78.4" x 51.2" x 49.4" | 224.3 x 122.5 x 232.2 cm / 88.3" x 48.2" x 91.4" |
| Product Weight | 143.4 kg / 316 lbs. | 147 kg / 325 lbs. | 98 kg / 216 lbs. | 204 kg / 449 lbs. |
| Max. User Weight | 150 kg / 330 lbs. |
| Max. Training Weight | 200 kg / 440 lbs. | 300 kg / 660 lbs. | 150 kg / 330 lbs. | 250 kg / 550 lbs. |
| Starting Resistance | 12.3 kg / 27 lbs. | 3.7 kg / 8 lbs. | 16.8 kg / 37 lbs. | 9.7 kg / 21 lbs. |
| USER AMENITIES | | | | |
| Instructional Placards | Muscle call outs, start and finish exercise illustrations | | Muscle call outs, start and finish exercise illustrations | Muscle call outs, start and finish exercise illustrations |
| Upholstery | Polyurethane molded foam | Polyurethane molded foam | Polyurethane molded foam | N/A |
| Elastic Band Peg | Allows elastic resistance training | Allows elastic resistance training | Allows elastic resistance training | No |
| Weight-Storage Horns | 4 weight-storage horns for max. 25-kg / 55-lb. plates | 4 weight-storage horns for max. 25-kg / 55-lb. plates | No | 6 weight-storage horns for max. 20-kg / 45-lb. plates |
| FEATURE | LEG PRESS VST700-PL70 | HACK SQUAT VST700-PL71 | SEATED CALF RAISE VST700-PL77 | GLUTE TRAINER VST700-PL78 |
| FRAME | | | | |
| Frame Color | Matte Black | Matte Black | Matte Black | Matte Black |
| Frame Finish | Proprietary two-coat powder process |
| TECH SPECS | | | | |
| Overall Dimensions | 231.5 x 138.4 x 150.9 cm / 91.1" x 54.5" x 59.4" | 219.1 x 136.4 x 145.1 cm / 86.3" x 53.7" x 57.1" | 152.8 x 75 x 92 cm / 60.2" x 29.5" x 36.2" | 123.5 x 145.4 x 106.3 cm / 48.6" x 57.2" x 41.9" |
| Product Weight | 209 kg / 461 lbs. | 200 kg / 440 lbs. | 62 kg / 137 lbs. | 132.5 kg / 292 lbs. |
| Max. User Weight | 150 kg / 330 lbs. |
| Max. Training Weight | 300 kg / 660 lbs. | 250 kg / 550 lbs. | 150 kg / 330 lbs. | 100 kg / 220 lbs. |
| Starting Resistance | 29 kg / 64 lbs. | 36 kg / 79 lbs. | 38 kg / 84 lbs. | 20 kg / 44 lbs. |
| USER AMENITIES | | | | |
| Instructional Placards | Muscle call outs, start and finish exercise illustrations | Muscle call outs, start and finish exercise illustrations | Muscle call outs, start and finish exercise illustrations | Muscle call outs, start and finish exercise illustrations |
| Upholstery | Polyurethane molded foam | Polyurethane molded foam | Polyurethane molded foam | Polyurethane molded foam |
| Elastic Band Peg | Allows elastic resistance training |
| Weight-Storage Horns | 2 weight-storage horns for max. 25-kg / 55-lb. plates | 4 weight-storage horns for max. 25-kg / 55-lb. plates | No | No |



| FEATURE | OLYMPIC FLAT BENCH | OLYMPIC FLAT SPOTTER BENCH | OLYMPIC INCLINE BENCH | BACK EXTENSION BENCH |
|----------------------|---|---|---|---|
| | VST700-FW78 | VST700-FW88 | VST700-FW79 | VST700-FW52 |
| FRAME | | | | |
| Frame Color | Matte Black | Matte Black | Matte Black | Matte Black |
| Frame Finish | Proprietary two-coat powder process | Proprietary two-coat powder process | Proprietary two-coat powder process | Proprietary two-coat powder process |
| TECH SPECS | | | | |
| Overall Dimensions | 183 x 170.9 x 131.4 cm / 72.1" x 67.3" x 51.7" | 183 x 170.9 x 131.4 cm / 72.1" x 67.3" x 51.7" | 183 x 186.5 x 153.1 cm / 72.1" x 73.4" x 60.3" | 134.3 x 93.8 x 99.9 cm / 52.9" x 36.9" x 39.3" |
| Product Weight | 85.1 kg / 187 lbs. | 111 kg / 245 lbs. | 117.5 kg / 259 lbs. | 44 kg / 97 lbs. |
| Max. User Weight | 150 kg / 330 lbs. | 150 kg / 330 lbs. | 150 kg / 330 lbs. | 150 kg / 330 lbs. |
| Max. Training Weight | 300 kg / 660 lbs. | 300 kg / 660 lbs. | 300 kg / 660 lbs. | 25 kg / 55 lbs. |
| USER AMENITIES | | | | |
| Upholstery | Polyurethane molded foam | Polyurethane molded foam | Polyurethane molded foam | Polyurethane molded foam |
| Inner Storage Horns | Optional 4 inner horns for extra weight-storage (VST700-FWSH) | Optional 4 inner horns for extra weight-storage (VST700-FWSH) | Optional 4 inner horns for extra weight-storage (VST700-FWSH) | N/A |
| Spotter Platform | Optional (VST700-FWSP) | Optional (VST700-FWSP) | Included | N/A |
| FEATURE | ADJUSTABLE BENCH VST600-FW82 | FLAT BENCH VST700-FW59 | UTILITY BENCH VST700-FW87 | VKR W/CHIN VST700-FW63 |
| FRAME | | | | |
| Frame Color | Matte Black | Matte Black | Matte Black | Matte Black |
| Frame Finish | Yes | Proprietary two-coat powder process | Proprietary two-coat powder process | Proprietary two-coat powder process |
| TECH SPECS | | | | |
| Overall Dimensions | 135 x 70 x 51 cm / 53" x 27.5" x 20" | 133 x 83.8 x 43.2 cm / 52.4" x 33" x 17" | 100.4 x 88 x 96.4 cm / 39.5" x 34.7" x 38" | 158.5 x 146.7 x 240.3 cm / 62.4" x 57.8" x 94.6" |
| Product Weight | 42 kg / 92.6 lbs. | 25 kg / 55 lbs. | 23 kg / 51 lbs. | 118.5 kg / 261 lbs. |
| Max. User Weight | 100 kg / 220 lbs. | 150 kg / 330 lbs. | 150 kg / 330 lbs. | 150 kg / 330 lbs. |
| Max. Training Weight | 200 kg / 440 lbs. | 300 kg / 660 lbs. | N/A | N/A |
| USER AMENITIES | | | | |
| Upholstery | Ergonomic pad for great comfort | Polyurethane molded foam | Polyurethane molded foam | Polyurethane molded foam |
| FEATURE | DUMBBELL RACK VST600-FW510 | | WEIGHT TREE VST700-FW67 | |
| FRAME | | | | |
| Frame Color | Matte Black | | Matte Black | |
| Frame Finish | Proprietary two-coat powder process | | Proprietary two-coat powder process | |
| TECH SPECS | | | | |
| Overall Dimensions | 212 x 65 x 80 cm / 83.5" x 25.6" x 31.5" | | 91.6 x 83.1 x 120.8 cm / 36.1" x 32.7" x 47.6" | |
| Product Weight | 57 kg / 125.7 lbs. | | 47 kg / 104 lbs. | |
| USER AMENITIES | | | | |
| Band Storage | N/A | | 1 peg for resistance band storage | |
| Weight Storage | 10 pairs of pro-style dumbbells, Max 750 | kg / 1650 lbs. | 8 weight-storage horns for max. 25-kg/ | 55-lb. plates |





1600 Landmark Drive · Cottage Grove, WI 53527 U.S.A. p 800.335.4348 · visionfitness.com